

Bibliografia

Harris WS, von Schacky C: The Omega-3 Index: a new risk factor for death from coronary heart disease? *Prev Med* 2004, 39:212–220.

Lands B: A critique of paradoxes in current advice on dietary lipids. *Prog Lipid Res* 2008, 47:77–106.

Stark KD: The percentage of n-3 highly unsaturated fatty acids in total HUFA as a biomarker for omega-3 fatty acid status in tissues. *Lipids* 2008, 43:45–53.

Armstrong JM, Metherel AH, Stark KD: Direct microwave transesterification of fingertip prick blood samples for fatty acid determinations. *Lipids* 2008, 43:187–196.

Bailey-Hall E, Nelson EB, Ryan AS: Validation of a rapid measure of blood PUFA levels in humans. *Lipids* 2008, 43:181–186.

Marangoni F, Colombo C, Galli C: A method for the direct evaluation of the fatty acid status in a drop of blood from a fingertip in humans: applicability to nutritional and epidemiological studies. *Anal Biochem* 2004, 326:267–272.

Marangoni F, Colombo C, Martiello A, Poli A, Paoletti R, Galli C: Levels of the n-3 fatty acid eicosapentaenoic acid in addition to those of alpha linolenic acid are significantly raised in blood lipids by the intake of four walnuts a day in humans. *Nutr Metab Cardiovasc Dis* 2007, 17:457–461.

Fratesi JA, Hogg RC, Young-Newton GS, Patterson AC, Charkhazarin P, Block TK, Sharratt MT, Stark KD: Direct quantitation of omega-3 fatty acid intake of Canadian residents of a long-term care facility. *Appl Physiol Nutr Metab* 2009, 34:1–9.

Metherel AH, Armstrong JM, Stark KD: Weekly changes in finger-tip prick blood highly unsaturated fatty acid (HUFA) composition with acute fish oil supplementation and washout in men and women. *FASEB J* 2007, 21:A338–A339.

Rise P, Marangoni F, Martiello A, Colombo C, Manzoni C, Marconi C, Cattabeni F, Galli C: Fatty acid profiles of blood lipids in a population group in Tibet: correlations with diet and environmental conditions. *Asia Pac J Clin Nutr* 2008, 17:80–85.

Agostoni C, Galli C, Riva E, Colombo C, Giovannini M, Marangoni F: Reduced docosahexaenoic acid synthesis may contribute to growth restriction in infants born to mothers who smoke. *J Pediatr* 2005, 147:854–856.

Agostoni C, Galli C, Riva E, Rise P, Colombo C, Giovannini M, Marangoni F: Whole blood fatty acid composition at birth: from the maternal compartment to the infant. *Clin Nutr* 2011, 30:503–505.

Magnusardottir AR, Skuladottir GV: Effects of storage time and added antioxidant on fatty acid composition of red blood cells at –20 degrees C. *Lipids* 2006, 41:401–404

Adibhatla RM, Hatcher JF, Dempsey RJ. Lipids and lipidomics in brain injury and diseases. *AAPS Journal* 2006;8(2):E314-E321.

Caramia G. The essential fatty acids omega-6 and omega-3: from their discovery to their use in therapy. *Minerva Pediatr* 2008;60(2):219-233.

Nakamura MT, Nara TY. Structure, function, and dietary regulation of delta-6, delta-5, and delta-9 desaturases. *Annu rev Nutr* 2004;24:345-376.

Marangoni F, Angeli MT, Colli S, Eligini S, Tremoli E, Sirtori CR, Galli C. Changes of n-3 and n-6 fatty acids in plasma and circulating cells of normal subjects, after prolonged administration of 20:5 (EPA) and 22:6 (DHA) ethyl esters and prolonged washout. *Biochim Biophys Acta* 1993;12:55-62.

Ohta A, Mayo MC, Kramer N, Lands WE. Rapid analysis of fatty acid in plasma lipids. *Lipids* 1990;25(11):742-647.

Mozaffarian D, Katan MB, Ascherio A, Stampfer MJ, Willett WC. Trans fatty acids and cardiovascular disease. *N Engl J Med* 2006;345:1601-1613.

Lemaitre Rn, King IB, Mozaffarian D, Sotoodehnia N, Rea TD, Kuller LH, Tracy RP, Siscovick DS. Plasma phospholipid trans fatty acids, fatal ischemic heart disease, and sudden cardiac death in older adults: the cardiovascular health study. *Circulation* 2006;114(3):209-215.