



## Cleaning propeller



	Order no. 900.90.160	Order no. 900.90.260	Order no. 900.90.330
Overall length OAL	120	170	205
Functional length LF	53	53	53
Mounting spigot diameter DCONMS	16	16	16
Body diameter BD	65	65	65
Protruding length LPR	80	130	165
Functional diameter DFC	160	260	330
Rotational speed maximum RPMX	7000 - 12000 1/min.	5000 - 8000 1/min.	4000 - 7000 1/min.
Rotation Direction	Clockwise	Clockwise	Clockwise
Feed rate recommendation	1000~3000 mm/min	3000~15000mm/min	3000~15000mm/min
Distance between open wings and metal chips & fluid	100~150 mm	100~150 mm	100~150 mm
Weight WT	0,18 kg	0,2 kg	0,22 kg
Price	<b>145,00 EUR</b>	<b>212,00 EUR</b>	<b>462,00 EUR</b>


Ideal for small machines with few chips and coolant

Ideal for medium machines with a large number and hard-to-remove metal chips

Ideal for big machines with a large number and hard-to-remove metal chips



Before



After

- Safe and quick removal of chips and coolant
- Coolant goes through the center
- Robust and long-living
- Use with collet chucks and 16mm collets
- Usable with automatic tool changer
- Opening and closing of the flanks through the spindle speed control
- For vertical and horizontal processing centers
- Contact free cleaning of the working area of the machine
- Reduction of time expanses



- In order to avoid damages use propellers in a completely closed and fully covered industrial machine
- Use the coolant liquid only when propellers do not rotate any more
- Please strictly follow the recommendations indicated in the specification table
- Never exceed the limit of the max. RPM
- Please use only collets suitable for the shaft of the cleaning propeller. In order to avoid possible hazards change worn out and damaged collets immediately
- The heights and diameters vary between folded and open wings when a propeller is off and on. Please keep safe distant when the propeller is being stopped and when it rotates
- To maintain reliability, performance and safety measures do not decompose the propeller

Ihr Fachhändler - Your specialist dealer - Votre spécialiste

KEMMLER  
Präzisionswerkzeuge GmbH  
Lange Str. 101  
DE - 72116 Mössingen  
Telefon: +49 7473 92408-0  
Telefax: +49 7473 92408-20  
info@kemmler-tools.de  
www.kemmler-tools.de



facebook.com/kemmler



www.kemmler-tools.de

**KEMMLER**